



Dewatering Bags

Sediment Filter Bags

Available Sizes:

Small	1.5m x 0.5m
Pallet Size	1.2m x 1.2m
Medium	2.5m x 1.5m
IBC Cube	1m x 1m x 1m
Large	6m x 4m

Custom sizes also available upon request.



Product Features

- ✓ Double thickness neck for strength. 90
- ✓ micron pore size.
- ✓ Flow rate 80L/m²/Sec.
- ✓ 260gsm Non-woven Geotextile Fabric.
- ✓ UV Resistant
- ✓ Hydrocarbon (diesel) resistant
- ✓ Supafine option available

Aussie Environmental Dewatering Bags, also known as Geobags are a sediment filter bag that is used for pumping and filtering sediment laden water. Dewatering Bags are an effective solution for any site looking to filter discharge, runoff or dewatering operations. Commonly used on construction sites and mining sites to control the amount of sediment or pollution leaving the site.

Dewatering Bags are available in 5 sizes: Small: 1.5m x 0.5m, Pallet Size: 1.2m x 1.2m, Medium: 2.5m x 1.5m, Large: 6m x 4m and a 1m³ to fit an IBC.

We also supply a Supafine Dewatering bag lined with a 50um filter material to capture finer particles.



Ph: 07 5315 5431

info@aussieenvironmental.com.au

aussieenvironmental.com.au

19 Central Park Drive
Yandina, Queensland 4561